

## Bibliography

- [1] Arnold A., Zehnder K. *Salts weathering on monuments*, In: The conservation of monuments in the Mediterranean Basin, Proceedings of the 1st International Symposium, Bari, 7-10 June 1989, Zezza, F. (ed.); Brescia, Grafo Edizioni, 1990
- [2] Egarttner I., Sass O. *Herit. Sci.* 2016, 4 p. 41. Available at: *Using paper pulp poultices in the field and laboratory to analyze salt distribution in building limestones*
- [3] Vergès-Belmin V. and H. Siedel H., *Desalination of Masonries and Monumental Sculptures by Poulticing: A Review Restoration of Buildings and Monuments*. *Bauinstandsetzen und Baudenkmalpflege*. 2005, 11 (6) pp. 391–408
- [4] Sawdy A., Heritage A.M., Heritage A., Pel L. *A review of salt transport in porous media: assessment methods and salt reduction treatments*. In Salt weathering on buildings and stone sculptures (SWBSS), 22 - 24 October 2008, Copenhagen, Denmark
- [5] Pel L., Heritage A., Voronina V. Physical principles affecting the efficiency of salt extraction by poulticing. In: *Desalination of Historic Buildings Stone and wall paintings*, (Alison H., Adrian H., Fulvio Z., eds.). Archetype, 2013, pp. 21–9.
- [6] VARIOUS AUTHORS, *Survey carried out within the Desalination project*, papers presented at the EU Conference in Ljubljana, 2008
- [7] Van Hees R.P.L. et al. *Guidelines for desalination of porous substrates*, <https://mdcs.monumentenkenis.nl/wiki/page/26/guidelines-for-desalination-of-porous-substrate>
- [8] Borrelli E. *Standardizzazione di un metodo di estrazione di sali da supporti porosi e suo utilizzo a scopo diagnostico*, In: La conservazione dei monumenti nel bacino del Mediterraneo: atti del 3° simposio internazionale, eds. Fassina V., Ott H., Zezza F Venezia, 22-25 giugno 1994, p. 163-167
- [9] Borrelli E., *Salts, Arch laboratory handbook*, ICCROM Rome 1999, pp-19-22
- [10] Fassina V., Arbizzani R., Naccari A., Favaro M. Brick Masonry of the Crypt of San Marco Basilica - evaluation of on-site desalination experiments and laboratory consolidation treatments. In: *Conservation of Historic Brick Structures*, (Baer N.S., Fitz S., Livingston R.A., eds.). Donhead Publishing ltd, 1998, pp. 407–26.
- [11] Bourgès A., Vergès-Belmin V., *Application of fresh mortar tests to poultices used for the desalination of historical masonry*, *Materials and Structures*, 47, 7, 2011, pp. 1233-1240
- [12] Pkla A., Mesbah A., Rigassi V., Morel J.C. Comparaison de méthodes d'essais de mesures des caractéristiques mécaniques des mortiers de terre. *Mater. Struct.* 2003, 36 pp. 108–117
- [13] Felicetti R., Gattesco N.A. Penetration test to study the mechanical response of mortar in ancient masonry buildings. *Mater. Struct.* 1997, 31 pp. 350–356
- [14] EN 16682, *Conservation of cultural heritage — Methods of measurement of moisture content, or water content, in materials constituting immovable cultural heritage*

**General Bibliography not listed**

- [15] EN 413-2, *Masonry cement — Part 2: Test methods*
- [16] EN 459-1, *Building lime — Part 1: Definitions, specifications and conformity criteria*
- [17] EN 459-2, *Building lime — Part 2: Test methods*
- [18] EN 15801, *Conservation of cultural property — Test methods — Determination of water absorption by capillarity*
- [19] EN 16095, *Conservation of cultural property — Condition recording for movable cultural heritage*
- [20] EN 16096, *Conservation of cultural property — Condition survey and report of built cultural heritage*
- [21] EN 17138, *Conservation of Cultural Heritage — Methods and materials for cleaning porous inorganic materials*
- [22] AMOROSO G.G., FASSINA V. *Stone Decay and Conservation*. Elsevier Publisher, Amsterdam, 1983, pp. 453.
- [23] ARNOLD A., ZEHNDER K. *Crystallization and habits of salt efflorescences on walls, II. Conditions of crystallization*, In Vth international congress on deterioration and conservation of stone, Proceedings, p. 269-277, Lausanne, 25-27-9, 1985
- [24] ARNOLD A., ZEHNDER K., CATHER S. *Monitoring wall paintings affected by soluble salts*, Sharon (ed.), In: The conservation of wall paintings; proceedings of a symposium organized by the Courtauld Institute of Art and the Getty Conservation Institute, London, July 13-16 1987, Marina del Rey, California: Getty Conservation Institute, 1991
- [25] AURAS M. *Poultices and mortars for salt contaminated masonry and stone objects*. In: Salt Weathering on Buildings and Stone Sculptures, Proceedings from the International Conference 22-24 October 2008, National Museum Copenhagen, Denmark. Lyngby: Technical University of Denmark, 2008. P 29-40
- [26] BELMIN V. HERITAGE, A., BOURGES, A., *Powdered Cellulose poultices in Stone and Wall Painting Conservation*. *Stud. Conserv.* 2011, **56** (4) pp. 281–297
- [27] CANEVA G., DINELLI A., DE MARCO G., VINCI M. *Halophylous vegetation in the deterioration of stone monuments in coastal environment*, in The conservation of monuments in the Mediterranean Basin: the influence of coastal environment and salt spray on limestone and marble. Proceedings of the 1st International Symposium, Bari, 7-10 June Zezza, F. (ed.); Brescia, Grafo Edizioni, 1990, p. 231-234
- [28] CARRETERO M.I. et al. *Application of sepiolite-cellulose pastes for the removal of salts from building stones*, In: Applied Clay Science, volume 33, p 43-51. 2006, ISSN: 0169-1317
- [29] CATHER S. *Aqueous extraction of soluble salts from porous materials: alternatives and contraindications*. In: *Mauersalze und Architekturoberfläche (Hochschule für Bildende Künste, Dresden, 1-3 February 2002)*, (LEITNER H. et al., eds.). Dresden, 2003, pp. 72–167.

- [30] DE MARCO G., CANEVA G., DINELLI A. *Geobotanical foundation for a protection project, in the Moenjodaro archaeological area*. In: *Prospezioni archeologiche: quaderno 1*. Fondazione Carlo M, Lerici, Milano, 1990, pp. 115-20
- [31] DOMASLOWSKI W., LEWANDOWSKA M.-K., LUKASZEWICZ J.-W. *Badanie nad Konserwacja murow ceglanych* (Research on the conservation of brick masonries). Torun University Publishers, 1988
- [32] FASSINA V., COSTA F. *Preliminary results of desalination of Ca' Pesaro brick masonry*, Proc. of the 2nd Int. Symp. on Materials Science and Restoration, Esslingen, 2-4 Sept. 1986, pp. 365-376
- [33] FASSINA V., ARBIZZANI R., *Considerazioni sulla metodica di rimozione dei sali solubili dalle murature della cripta e sull'impiego di resine per rallentare i processi di assorbimento capillare dell'acqua connessi all'umidità delle strutture*, Basilica Patriarcale in Venezia-San Marco-la cripta e il restauro, editore Vallardi, Venezia 1993, pp. 113-130
- [34] FASSINA V., ARBIZZANI R., NACCARI A. *Salt efflorescences on the marble slabs of S. Maria dei Miracoli church: a survey on their origin and the methodology of their removal*, in 8th International Congress on Deterioration and Conservation of Stone, Berlin 30/9/96-4/10/96, pp. 523-534
- [35] FASSINA V., ROSSETTI M., *Problemi di conservazione connessi all'umidità delle strutture. Diagnostica, Basilica Patriarcale*, in Venezia, San Marco, la cripta, la storia, la conservazione, editore Vallardi, Venezia 1992, pp. 87-112
- [36] FRIESE P. *Removing of soluble salts and drying of masonry by means of electrochemical techniques*, in: 6th International Congress on deterioration and conservation of stone. Proceedings. Torun, 12-14. 09.1988, Ciabach, Jerzy (ed.); Torun: Nicholas Copernicus University, 1988, p. 624-632
- [37] GAURI K. LAL, CHOWDHURY, AHAD N., *Experimental studies on conversion of gypsum to calcite by microbes*, In: 6<sup>th</sup> International Congress on deterioration and conservation of stone. Proceedings, Torun, 12-14. 09.1988, Ciabach, Jerzy (ed.) Torun: Nicholas Copernicus University, 1988, p. 545-550
- [38] GAURI K. LAL, PARKS, LAWRENCE, JAYNES, J., ATLAS, R., *Removal of sulphated-crust from marble using sulphate-reducing bacteria*, In: Stone cleaning and the nature, soiling and decay mechanisms of stone: proceedings of the International conference held in Edinburgh, UK, 14-16 April 1992, Webster, Robin G.M (ed.); London: Donhead Publishing, 1992, p. 160-165
- [39] GROOT C.J.W.P., LARBI J.A. *The influence on interfacial moisture exchange on mortar- brick bond strength*, in Proceedings 6th International Seminar on Structural Masonry for Developing Countries, Bangalore, India, Editors B.V. Venkatarama Reddy and Braj P. Sinha, pp-148-156, 2000
- [40] HENDRICKX R. *The adequate measurement of the workability of masonry mortar*, PhD study, KU Leuven, Belgium, 2009
- [41] HERITAGE A., SAWDY A., FUNKE F., VERGÉS-BELMIN V., BOURGÉS A. *How do conservators tackle desalination? An international survey of current poulticing methods*, CHRESP Conference Preprints, 8th European Conference on Research for Protection, Conservation and Enhancement of Cultural Heritage Ljubljana, Slovenia, November 10-12, 2008, 58-59
- [42] HERITAGE A., LUBELLI L., VORONINA V., PEL L., *Optimizing the extraction of soluble salts from porous materials by poultice*, in Desalination of Historic Buildings Stone and wall paintings, Heritage Alison, Heritage Adrian and Zezza Fulvio eds., Archetype 2013, pp. 30-40

- [43] LARRARD F., FERRARIS C.F. *Rhéologie du béton frais remanié III- L'essai au cône d'Abrams modifié*, in Bulletin des Laboratoires des Ponts et Chaussées, n° 215, Mai-Juin, pp. 53-60, 1998
- [44] LING D., SMITH S. *To desalinate or not to desalinate? That is the question*, in: *Le dessalement des matériaux poreux: 7èmes journées d'études de la SFIIC*, Poitiers, 9-10 May 1996, Section française de l'IIC. Champs-sur-Marne, France, p. 65-74
- [45] LUBELLI B. AND VAN HEES, ROB P.J., *Desalination of masonry structures: Fine tuning of pore size distribution of poultices to substrate properties*. In: *Journal of Cultural Heritage*, 2010, volume 11, number 1, p 10-18. ISSN: 1296-2074
- [46] PEL L., SAWDY A., VORONINA V. *Physical principles and efficiency of salt extraction by poulticing*. *J. Cult. Herit.* DOI:10.1016/j.culther.2009.03.007
- [47] RANALLI G., CHIAVARINI M., GUIDETTI V., MARSALA F., MATTEINI M., ZANARDINI E. et al. *The use of microorganisms for the removal of nitrates and organic substances on artistic stonework*, In: 8th international congress on deterioration and conservation of stone, Berlin, 30 Sept. - 4 Oct. 1996: proceedings / Riederer, Josef (ed.); Berlin, 1996, p. 1415-1420
- [48] SANTARELLI M.L., MARROCCHI A., TATICCHI A., MINUTI L. *Inibitori di cristallizzazione. Sviluppo di una tecnologia innovativa e non distruttiva per la conservazione dei Beni Culturali*, In: *Lo stato dell'arte 2: conservazione e restauro, confronto di esperienze. II° Congresso Nazionale*, Genoa, 27-29 September 2004. Volume degli atti / IGIIC - Gruppo italiano, International Institute for Conservation, Italy, Il Prato, 2004 p. 412-417
- [49] SAWDY A. LUBELLI, B., VORONINA, V. PEL L. *Optimizing the extraction of soluble salts from porous materials by poultices*. *Stud. Conserv.* 2010, **55** pp. 26–40
- [50] SIMON S., HERM C., PORST A., PURSCHE J. *Desalination and control of salt transport phenomena: experiences with compress renderings in the ring crypt of St. Emmeram, Regensburg*, in: *Le dessalement des matériaux poreux: 7èmes journées d'études de la SFIIC*, Poitiers, 9-10 May 1996 France, p. 147-159
- [51] SKIBINSKI S. *Efficiency of salt removal by membrane electro dialysis*, In: *Wiener Berichte über Naturwissenschaft in der Kunst*, Vendl, A. (ed.); Pichler, B. (e.d.); Weber, J. (ed.); Banik, Gerhard (ed.), Doppelband 2-3 Wien, 1985
- [52] SKIBINSKI S. *Salt removal from stone historical objects by means of membrane electro dialysis*. In: 5th international congress on deterioration and conservation of stone. Proceedings, Lausanne, 25-27 Sept., 1985, Lausanne: Presses polytechniques romandes, 1985, p. 959-965
- [53] SPINOSA N., ALABISO A.C., PAGANO D., FERRAGNI D., MORA P., TORRACA G. et al. *Il restauro del chiostro maiolicato di S. Chiara in Napoli* In: *Le superfici dell'architettura: il cotto, caratterizzazioni e trattamenti*, Padua, Libreria Progetto Editore, 1992, p. 517-526, (Scienza e beni culturali) *Le superfici dell'architettura: il cotto*, Bressanone, Italy
- [54] TIANO P. et al. *Trials of soluble salt removal from porous materials by means of extraction poultices*. CNR-ICVBC, 2010
- [55] VALENTINI M. et al. *Efficacia di due materiali per impacco nella rimozione dei sali solubili dalle superfici murarie*. In: *VII Congresso Nazionale IGIIC, Lo Stato dell'Arte, Napoli, 8-10 Ottobre, 2009*

[56] VORONINA V. *Salt extraction by poulticing: an NMR study*. Thesis doctoral Eindhoven University of Technology, Department of Applied Physics, Enschede, The Netherlands, 2011. ISBN: 978-90-386-2849-3

[57] WTA, *Desalination of porous building material by means of poultices*, 2019