Bibliography

- [1] CEN/TR 16098, Construction products: Assessment of release of dangerous substances Concept of horizontal testing procedures in support of requirements under the CPD
- [2] CEN/TR 16496, Construction products: Assessment of release of dangerous substances Use of harmonised horizontal assessment methods
- [3] DHI et al., Robustness validation of TS-2 and TS-3 developed by CEN/TC 351/WG 1 to assess release from products to soil, surface water and groundwater. DHI in co-operation with VTT, ECN, BAM, Tübingen University, CSTB and INSA, Final report March 2013. Available from www.centc351.org
- [4] DHI et al., *Additional robustness testing on TS-3 (CEN/TC 351/WG 1)*. DHI in co-operation with BAM and ECN, Final report July 2014 (Rev. 2015). Available from <u>www.centc351.org</u>
- [5] García-Ruiz, S., Linsinger, T., Cordeiro Raposo, F., Conneely, P., Emteborg, H. and Held, A., Interlaboratory comparison to evaluate the precision of test methods for the assessment of the release of inorganic substances from construction products. EUR 30071 EN, Publications Office of the European Union, Luxembourg, 2020, ISBN 978-92-76-10226-7, doi:10.2760/288988, JRC119719. Also available from www.centc351.org
- [6] García-Ruiz, S., Linsinger, T., Conneely, P., Emteborg, H., Held, A., *Precision of test methods to assess the release of organic substances from construction products*. EUR 30176 EN, Publications Office of the European Union, Luxembourg, 2020, ISBN 978-92-76-18038-8, doi:10.2760/772446, JRC120500. Also available from www.centc351.org
- [7] EN 15824, Specifications for external renders and internal plasters based on organic binders
- [8] EN 16105, Paints and varnishes Laboratory method for determination of release of regulated dangerous substances from coatings in intermittent contact with water
- [9] EN 17516, Waste Characterization of granular solids with potential for use as construction material Compliance leaching test Up-flow percolation test
- [10] CEN/TR 16220:2011, Construction products: Assessment of release of dangerous substances Complement to sampling
- [11] EN ISO 5667-3, Water quality Sampling Part 3: Preservation and handling of water samples (ISO 5667-3)
- [12] Mandate M/366, Horizontal complement to the mandates to CEN/CENELEC concerning the execution of standardisation work for the development of horizontal standardised assessment methods for harmonised approaches relating to dangerous substances under the Construction Products Directive (CPD) Emission to indoor air, soil, surface water and ground water. European Commission, 2005. Available from www.centc351.org

- [13] EN 12457-1, Characterisation of waste Leaching Compliance test for leaching of granular waste materials and sludges Part 1: One stage batch test at a liquid to solid ratio of 2 l/kg for materials with high solid content and with particle size below 4 mm (without or with size reduction)
- [14] EN 12457-2, Characterisation of waste Leaching Compliance test for leaching of granular waste materials and sludges Part 2: One stage batch test at a liquid to solid ratio of 10 l/kg for materials with particle size below 4 mm (without or with size reduction)
- [15] EN 12457-3, Characterisation of waste Leaching Compliance test for leaching of granular waste materials and sludges Part 3: Two stage batch test at a liquid to solid ratio of 2 l/kg and 8 l/kg for materials with high solid content and with particle size below 4 mm (without or with size reduction)
- [16] EN 12457-4, Characterisation of waste Leaching Compliance test for leaching of granular waste materials and sludges Part 4: One stage batch test at a liquid to solid ratio of 10 l/kg for materials with particle size below 10 mm (without or with size reduction)
- [17] CEN/TS 15862, Characterisation of waste Compliance leaching test One stage batch leaching test for monoliths at fixed liquid to surface area ratio (L/A) for test portions with fixed minimum dimensions
- [18] CEN/TS 16660, Characterization of waste Leaching behaviour test Determination of the reducing character and the reducing capacity
- [19] Kosson, D.S., van der Sloot, H.A., Garrabrants, A.C., and Seignette, P.F.A.B, *Leaching test relationships, Laboratory-to-Field comparisons and recommendations for leaching evaluation using the Leaching Environmental Assessment Framework*, EPA-600/R-14/061, 2014
- [20] EN 14429, Characterization of waste Leaching behaviour test Influence of pH on leaching with initial acid/base addition
- [21] EN 14997, Characterization of waste Leaching behaviour test Influence of pH on leaching with continuous pH control
- [22] CEN/TR 16797-1, Construction products: Assessment of release of dangerous substances Guidance on the statistical assessment of declared values Part 1: Principles and rules of application
- [23] CEN/TR 16797-2, Construction products: Assessment of release of dangerous substances Guidance on the statistical assessment of declared values Part 2: Technical and statistical background
- [24] EN 13383-2:2019, Armourstone Part 2: Test methods
- [25] NEN 7373, Leaching characteristics Determination of the leaching of inorganic components from granular materials with a column test Solid earthy and stony materials (in Dutch)
- [26] NEN 7375, Leaching characteristics Determination of the leaching of inorganic components from moulded or monolithic materials with a diffusion test Solid earthy and stony materials (in Dutch)

- [27] Van der Sloot, H.A., van der Wegen G.J.L., Hoede D., de Groot G.J, Quevauviller, Ph., Intercomparison of leaching tests for stabilized waste. Commission of the European Communities, EUR 16133 EN, 1995
- [28] De Groot, G.J., Hohberg, I., Lamers, F.J.M., Van der Veen, A.M.H., Wassing, W., *Development of a leaching method for the determination of the environmental quality of concrete*, MAT1 CT93-0026, EU Third Framework Programme Measurement and Testing, Brussels, Belgium, 1996
- [29] Kalbe, U., Berger, W., and Simon, F.-G., Results of German ring tests on the validation of leaching standards for source term determination. In: Abstracts of WASCON 2009: Sustainable management of wastes and recycled materials in construction, Lyon, France, 3-5 June 2009
- [30] Garrabrants, A.C., Kosson, D.S., DeLapp, R., Kariher, P., Seignette, P., van der Sloot, H.A., Stefanski, L., and Baldwin, M., *Interlaboratory validation of the leaching environmental assessment (LEAF) Method 1314 and Method 1315.* EPA-600/R-12/624, 2012
- [31] EN 13108-7, Bituminous mixtures Material specifications Part 7: Porous Asphalt